

BLACKHAWK

THE ROAD IS YOUR PREY



EXCLUSIVELY AT



PASSENGER & LIGHT TRUCK TIRE CATALOG

BLACKHAWKTIREUSA.COM



THE BLACKHAWK STORY

The iconic BLACKHAWK tire brand name originates from the strength, agility, speed and razor-sharp grip found in the powerful bird of prey itself. The full lineup of BLACKHAWK tire products are designed to symbolize the same adaptive attributes and confident characteristics as the fearless BLACKHAWK bird, in order to deliver inspiring performance for cars, trucks, crossovers and SUVs. Ruggedly tested to meet the highest of standards, the instinctive engineering behind our bold tread patterns and extensive use of complex rubber compounds allow drivers to command the road ahead and never look back. With BLACKHAWK tires, the road is your prey.

ABOUT BLACKHAWK TIRES

Our competitive BLACKHAWK brand believes in delivering great quality tires at fair prices with a wide range of car, truck, crossover and SUV products expertly engineered to match the performance of many major tire brands out there. Our products undergo vigorous testing to ensure they meet the demands of today's drivers, as our global team of tire engineers never settle for less. Our mission is to earn your trust as a valued customer, as all BLACKHAWK tires are manufactured in state of the art facilities under a high standard of excellence.

BLACKHAWKTIREUSA.COM

TABLE OF CONTENTS

4



HH11
ALL-SEASON TOURING

6



HH01
ALL-SEASON

8



HU01
ULTRA HIGH PERFORMANCE ALL SEASON

10



HU02
ULTRA-HIGH PERFORMANCE

12



AGILITY SUV
PERFORMANCE CUV/SUV ALL-SEASON

14



HT01
PERFORMANCE HT/CUV/SUV

16



HA11
PREMIUM ALL-TERRAIN

18



RIDGECRAWLER R/T
RUGGED TERRAIN

BLACKHAWK



HH11

ALL-SEASON TOURING

The HH11 tire is an all-season touring tire engineered to deliver exceptional handling and all-season performance. The HH11 features 4 wide circumferential grooves to help channel water away quickly and efficiently delivering excellent wet weather traction. A modern non-directional tread design provides superior road feel and handling making the HH11 the perfect everyday tire.

FEATURES

- Modern non-directional all-season tread design.
- Variable pitch tread design for low noise performance.
- Silica compound for superior wet traction and reduced rolling resistance.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Higher sidewall turn-up provides improved sidewall strength and durability.



R, S AND T SPEED RATED

| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|-------------------|----------------|------|---------------|--------|
| 175/70R13 | 82T | | 10 | 420 AA |
| 175/65R14 | 86T | XL | 10 | 420 AA |
| 175/70R14 | 84T | | 10 | 420 AA |
| 185/60R14 | 82H | | 10 | 420 AA |
| 185/65R14 | 86H | | 10 | 420 AA |
| 185/70R14 | 88H | | 10 | 420 AA |
| 195/70R14 | 91T | | 10 | 420 AA |
| 185/55R15 | 82V | | 10 | 420 AA |
| 185/60R15 | 88H | XL | 10 | 420 AA |
| 185/65R15 | 92H | XL | 10 | 420 AA |
| 195/50R15 | 82V | | 10 | 420 AA |
| 195/55R15 | 85V | | 10 | 420 AA |
| 195/60R15 | 88H | | 10 | 420 AA |
| 195/65R15 | 91H | | 10 | 420 AA |
| 205/60R15 | 95H | XL | 10 | 420 AA |
| 205/65R15 | 94H | | 10 | 420 AA |
| 205/70R15 | 96T | | 10 | 420 AA |
| 215/60R15 | 94H | | 10 | 420 AA |
| 215/65R15 | 96H | | 10 | 420 AA |
| 215/70R15 | 98T | | 10 | 420 AA |
| 205/50R16 | 87H | | 10 | 420 AB |
| 205/55R16 | 94V | XL | 10 | 420 AA |
| 205/55R16 | 91H | | 10 | 420 AA |
| 205/60R16 | 92H | | 10 | 420 AA |
| 205/65R16 | 95H | | 10 | 420 AA |
| 215/55R16 | 97H | XL | 10 | 420 AA |
| 215/60R16 | 95H | | 10 | 420 AA |
| 215/65R16 | 98T | | 10 | 420 AA |
| 225/60R16 | 98H | | 10 | 420 AA |
| 225/65R16 | 100H | | 10 | 420 AA |
| 205/50R17 | 89V | | 10 | 420 AA |
| 215/45R17 | 87W | | 10 | 420 AA |
| 215/50R17 | 91V | | 10 | 420 AA |
| 215/55R17 | 94V | | 10 | 420 AA |
| 215/60R17 | 96T | | 10 | 420 AA |
| 215/65R17 | 99T | | 10 | 420 AA |
| 225/45R17 | 91V | | 10 | 420 AA |
| 225/50R17 | 94V | | 10 | 420 AA |
| 225/55R17 | 97W | | 10 | 420 AA |
| 225/55R17 | 97V | | 10 | 420 AA |
| 225/60R17 | 99H | | 10 | 420 AA |
| 225/65R17 | 102H | | 10 | 420 AA |
| 235/60R17 | 102T | | 10 | 420 AA |
| 225/45R18 | 95W | XL | 10 | 420 AA |
| 235/45R18 | 94 V | | 10 | 420 AB |
| 235/55R18 | 100V | | 10 | 420 AA |
| 235/60R18 | 103H | | 10 | 420 AA |
| 225/50R18 | 95V | | 10 | 420 AA |

HH11

ALL-SEASON TOURING



BLACKHAWK



HH01

ALL-SEASON

The Blackhawk HH01 is an exceptional all-season tire designed to deliver reliable traction and consistent handling year-round. With exceptional durability and performance, the HH01 is the trusted tire for worry-free travel, keeping you in control on any road.

FEATURES

- Center rib enhances directional stability.
- 4 circumferential grooves disperse water and provide excellent wet handling
- Angled tread blocks increase contact patch and promote excellent grip



| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|-------------------|----------------|------|---------------|--------|
| 195/60R14 | 86H | | 10 | 420 AA |
| 195/65R14 | 89H | | 10 | 420 AA |
| 205/70R14 | 98T | XL | 10 | 420 AA |

HH01
ALL-SEASON



BLACKHAWK
BLACKHAWKTIREUSA.COM

PERFORMANCE

ultra-high
engineered for



ULTRA HIGH PERFORMANCE
ALL SEASON

The HU01 CHAMPOINT is an ultra-high performance all-season tire engineered for high-speed performance, cornering, and braking. The aggressive tread pattern features 4 high angle grooves to channel water away from the tread face, maximizing traction on wet surfaces. Tapered tread edges provided improved stability, even tread wear, and a quiet comfortable ride. The HU01 delivers the perfect balance between ultra-high performance and everyday comfort to give you confidence in all weather conditions.

FEATURES

- Solid center rib for improved high-speed stability, and reduced road noise.
- Silica compound for superior wet traction and reduced rolling resistance.
- High angle tread grooves enhance water evacuation and improve wet handling and hydroplane resistance.
- Taper tread edges promote even uniform contact pressure for increased stability, even wear and a quiet ride.
- 4 wide circumferential grooves enhance water drainage to maximize grip on wet surfaces



V AND W SPEED RATED

| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|-------------------|----------------|------|---------------|----------|
| 205/50R16 | 87W | SL | 10 | 480 AA A |
| 205/55R16 | 91W | SL | 10 | 480 AA A |
| 215/55R16 | 97W | XL | 10 | 480 AA A |
| 225/50R16 | 92W | SL | 10 | 480 AA A |
| 225/55R16 | 99W | XL | 10 | 480 AA A |
| 205/40R17 | 84W | XL | 10 | 480 AA A |
| 205/45R17 | 84W | SL | 10 | 480 AA A |
| 205/50R17 | 93W | XL | 10 | 480 AA A |
| 215/45R17 | 91W | XL | 10 | 480 AA A |
| 215/50R17 | 95W | XL | 10 | 480 AA A |
| 215/55R17 | 98W | XL | 10 | 480 AA A |
| 225/45R17 | 94W | XL | 10 | 480 AA A |
| 225/50R17 | 98W | XL | 10 | 480 AA A |
| 225/55R17 | 101W | XL | 10 | 480 AA A |
| 235/45R17 | 97W | XL | 10 | 480 AA A |
| 235/55R17 | 99W | SL | 10 | 480 AA A |
| 245/40R17 | 95W | XL | 10 | 480 AA A |
| 245/45R17 | 99W | XL | 10 | 480 AA A |
| 215/35R18 | 84W | XL | 10 | 480 AA A |
| 225/40R18 | 92W | XL | 10 | 480 AA A |
| 225/45R18 | 95W | XL | 10 | 480 AA A |
| 235/40R18 | 95W | XL | 10 | 480 AA A |
| 235/50R18 | 101W | XL | 10 | 480 AA A |
| 245/40R18 | 97W | XL | 10 | 480 AA A |
| 245/45R18 | 100W | XL | 10 | 480 AA A |
| 255/45R18 | 103W | XL | 10 | 480 AA A |
| 235/40R19 | 96V | XL | 10 | 480 AA A |
| 245/40R19 | 98W | XL | 10 | 480 AA A |
| 245/45R19 | 98W | XL | 10 | 480 AA A |
| 245/35R20 | 95W | XL | 10 | 480 AA A |
| 245/45R20 | 103W | XL | 10 | 480 AA A |
| 255/35R20 | 97W | XL | 10 | 480 AA A |
| 275/40R20 | 106W | XL | 10 | 480 AA A |

HU01

ULTRA HIGH PERFORMANCE
ALL SEASON



BLACKHAWK

BLACKHAWKTIRESUSA.COM

A high-contrast, black and white close-up photograph of a car tire tread. The image focuses on the central portion of the tire, showing several distinct tread patterns. From left to right, there is a shoulder area with wide, curved grooves, a central area with a series of parallel longitudinal grooves, and a shoulder area with a pattern of sipes (small, thin grooves) and some transverse grooves. The lighting creates deep shadows in the grooves and bright highlights on the raised portions of the tread, emphasizing the three-dimensional texture of the rubber.



The HU02 is an ultra high performance radial tire engineered for high-performance sport coupes and sedans. The HU02 features a variable pitch tread design that provides a smooth, quiet ride while its advanced tread compound delivers superior cornering and exceptional handling.

- Asymmetrical tread pattern.
- Inside tread pattern is designed for water evacuation which enhances wet traction.
- Outside tread pattern is designed with larger contact areas which improves dry traction.
- Silica compound reduces heat, provides improved wet traction, braking & reduced rolling resistance.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Rim protector.



| | | |
|---|------------|----------------------------------|
|  | WET | <div style="width: 95%;"></div> |
|  | DRY | <div style="width: 100%;"></div> |
|  | COMFORT | <div style="width: 90%;"></div> |
|  | QUIETNESS | <div style="width: 95%;"></div> |
|  | TREAD LIFE | <div style="width: 90%;"></div> |



V, W AND Y SPEED RATED
UTQG 300 AA A AND 400 AA A

| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|-------------------|----------------|------|---------------|------|
| 225/55R16 | 99W | XL | 300 AA A | 10 |
| 205/50R17 | 93W | XL | 400 AA A | 10 |
| 215/40R17 | 87W | XL | 300 AA A | 10 |
| 215/45R17 | 91W | XL | 300 AA A | 10 |
| 215/55R17 | 93W | XL | 300 AA A | 10 |
| 225/45R17 | 94W | XL | 300 AA A | 10 |
| 225/50R17 | 98W | XL | 300 AA A | 10 |
| 225/55R17 | 101W | XL | 300 AA A | 10 |
| 235/45R17 | 97W | XL | 300 AA A | 10 |
| 245/40R17 | 95W | XL | 300 AA A | 10 |
| 225/40R18 | 92W | XL | 300 AA A | 10 |
| 235/40R18 | 95W | XL | 300 AA A | 10 |

HU02

ULTRA-HIGH PERFORMANCE



BLACKHAWK
BLACKHAWKTIRES.COM

BLACKHAWK



AGILITY SUV

PERFORMANCE CUV/SUV ALL-SEASON

Blackhawk AGILITY SUV tires are designed for drivers who demand more from their suvs. The SUV market continues to grow and the AGILITY SUV is engineered to enhance the driveability of these larger more rugged vehicles, with 49 current sizes, from 16" all the way to 21" rim offerings. Featuring reliable traction and great handling all the while still offering 60,000 mile tread life warranty. Blackhawk AGILITY SUV tire wants you to experience your suv to it's fullest, either on your daily drive or making experiences happen, you can have confidence not only will the agility SUV take you where you are going, that it will do so in comfort. The AGILITY SUV welcomes your next adventure.

FEATURES

WET PERFORMANCE

- Wide circumferential grooves combined with shoulder lateral grooves allow water evacuation and provides excellent wet traction.

RIDE COMFORT

- Proprietary rubber cushion layer reduces road noise and vibration, delivering a consistent enjoyable ride.

TREADWEAR PERFORMANCE

- Through finite element analysis, wide tread surface uniform rigidity is achieved, this provides even ground pressure and promotes even wear.



| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|----------------|-------------|------|------------|---------|
| 215/65R16 | 98H | | 10 | 700 A A |
| 215/70R16 | 100H | | 10 | 700 A A |
| 235/60R16 | 100H | | 10 | 700 A A |
| 245/70R16 | 107T | | 10 | 700 A A |
| 255/70R16 | 111H | | 10 | 700 A A |
| 265/70R16 | 112H | | 10 | 700 A A |
| 215/60R17 | 96H | | 10 | 700 A A |
| 225/55R17 | 97V | | 10 | 700 A A |
| 225/60R17 | 99H | | 10 | 700 A A |
| 225/65R17 | 102H | | 10 | 700 A A |
| 235/55R17 | 99V | | 10 | 700 A A |
| 235/60R17 | 102H | | 10 | 700 A A |
| 235/65R17 | 104H | | 10 | 700 A A |
| 245/65R17 | 107H | | 10 | 700 A A |
| 255/60R17 | 106H | | 10 | 700 A A |
| 265/65R17 | 112H | | 10 | 700 A A |
| 215/55R18 | 95H | | 10 | 700 A A |
| 225/55R18 | 98V | | 10 | 700 A A |
| 225/60R18 | 100H | | 10 | 700 A A |
| 235/50R18 | 97V | | 10 | 700 A A |
| 235/55R18 | 100V | | 10 | 700 A A |
| 235/60R18 | 107V | XL | 10 | 700 A A |
| 235/65R18 | 106H | | 10 | 700 A A |
| 245/60R18 | 105H | | 10 | 700 A A |
| 255/55R18 | 109V | XL | 10 | 700 A A |
| 255/65R18 | 111T | | 10 | 700 A A |
| 265/60R18 | 110H | | 10 | 700 A A |
| 225/55R19 | 99V | | 10 | 700 A A |
| 235/45R19 | 95V | | 10 | 700 A A |
| 235/50R19 | 103V | XL | 10 | 700 A A |
| 235/55R19 | 105V | XL | 10 | 700 A A |
| 245/55R19 | 103V | | 10 | 700 A A |
| 255/50R19 | 107V | XL | 10 | 700 A A |
| 255/55R19 | 111V | XL | 10 | 700 A A |
| 255/60R19 | 109H | | 10 | 700 A A |
| 265/50R19 | 110V | XL | 10 | 700 A A |
| 235/55R20 | 105V | XL | 10 | 700 A A |
| 245/50R20 | 102V | | 10 | 700 A A |
| 245/60R20 | 107H | | 10 | 700 A A |
| 255/50R20 | 109V | XL | 10 | 700 A A |
| 255/55R20 | 110V | XL | 10 | 700 A A |
| 265/50R20 | 107H | | 10 | 700 A A |
| 275/40R20 | 106W | XL | 10 | 700 A A |
| 265/40R21 | 105W | XL | 10 | 700 A A |
| 275/40R21 | 107W | XL | 10 | 700 A A |
| 275/45R21 | 110W | XL | 10 | 700 A A |
| 285/40R21 | 109W | XL | 10 | 700 A A |
| 295/35R21 | 107W | XL | 10 | 700 A A |
| 315/40R21 | 115W | XL | 10 | 700 A A |

AGILITY SUV

PERFORMANCE CUV/SUV ALL-SEASON



BLACKHAWK

BLACKHAWKTIREUSA.COM

BLACKHAWK



HT01

PERFORMANCE HT/CUV/SUV

The HT01 is engineered to deliver a combination of comfort and performance on pickups, SUVs and cross-over vehicles. A staggered tread block design provides a quiet, superior ride while full-depth sipes deliver exceptional all-weather traction throughout its long life. The HT01 features a specially formulated compound for enhanced tread life.

FEATURES

- Block design provides noise cancellation, balances pressure and allows for more contact points on the road surface.
- Block edge design provides better wet traction and handling.
- Enhanced upper shoulder profile allows better surface contact for control.
- Tie bars on shoulders for high speed stability.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Rim Protector.



H, Q, R, S AND T SPEED RATED

HT01

PERFORMANCE HT/CUV/SUV

C-TYPE 235/65R16C

The Commercial C-type tire, engineered for the demanding conditions for LMD (Last Mile Delivery) vehicles.



| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|----------------|-------------|------|------------|---------|
| 235/75R15 | 105S | STD | 12 | 700 A B |
| 215/65R16 | 98T | STD | 12 | 700 A B |
| 215/70R16 | 100T | STD | 11 | 700 A B |
| 225/70R16 | 103S | STD | 12 | 700 A B |
| 225/75R16 | 104S | STD | 11 | 700 A B |
| 235/70R16 | 106T | STD | 11 | 700 A B |
| 245/70R16 | 107S | STD | 12 | 700 A B |
| 245/75R16 | 111T | STD | 11 | 700 A B |
| 255/70R16 | 111T | STD | 11 | 700 A B |
| 265/70R16 | 112T | STD | 11 | 700 A B |
| 265/75R16 | 116T | STD | 11 | 700 A B |
| 225/60R17 | 99H | STD | 11 | 700 A B |
| 225/65R17 | 102S | STD | 11 | 700 A B |
| 235/65R17 | 104T | STD | 12 | 700 A B |
| 235/65R17 | 104S | STD | 12 | 700 A B |
| 235/75R17 | 109S | STD | 11 | 700 A B |
| 245/65R17 | 107T | STD | 11 | 700 A B |
| 245/70R17 | 110T | STD | 11 | 700 A B |
| 265/65R17 | 112T | STD | 11 | 700 A B |
| 265/70R17 | 115T | STD | 11 | 700 A B |
| 235/55R18 | 100T | STD | 10 | 700 A B |
| 235/60R18 | 107V | XL | 11 | 700 A B |
| 235/65R18 | 106T | STD | 11 | 700 A B |
| 245/60R18 | 105H | STD | 11 | 700 A B |
| 255/65R18 | 111S | STD | 11 | 700 A B |
| 255/70R18 | 113T | STD | 11 | 700 A B |
| 265/60R18 | 110T | STD | 11 | 700 A B |
| 275/65R18 | 116T | STD | 11 | 700 A B |
| 225/55R19 | 99V | STD | 11 | 700 A B |
| 235/55R19 | 101V | STD | 11 | 700 A B |
| 245/55R19 | 103H | STD | 11 | 700 A B |
| 255/50R20 | 105H | STD | 11 | 700 A B |
| 265/50R20 | 107V | STD | 11 | 700 A B |
| 275/45R20 | 110H | XL | 10 | 700 A B |
| 275/55R20 | 113H | STD | 10 | 700 A B |
| 275/60R20 | 115S | STD | 11 | 700 A B |
| LT215/85R16* | 115/112S | 10PR | 11 | |
| LT225/75R16* | 115/112S | 10PR | 13 | |
| LT235/85R16* | 120/116S | 10PR | 13 | |
| LT245/75R16* | 120/116S | 10PR | 13 | |
| LT265/75R16* | 123/120S | 10PR | 13 | |
| LT235/80R17* | 120/117R | 10PR | 13 | |
| LT245/70R17* | 119/116R | 10PR | 13 | |
| LT245/75R17* | 121/118S | 10PR | 11 | |
| LT265/70R17* | 121/118Q | 10PR | 13 | |
| 235/65R16C * | 121/119R | 10PR | 13 | |

* MILEAGE WARRANTY DOES NOT APPLY TO LT TIRES

BLACKHAWK
BLACKHAWKTIREUSA.COM

RAIN

rain tire that
rains with
pattern and
delivers
conditions.
ity it still
e for cruising.

Improves wet grip.
es water evacu-
tensile strength

el band wrapped
ctural rigidity of
.e.
n.


PREMIUM ALL-TERRAIN

| | | |
|--|------------|--|
| | WET | |
| | DRY | |
| | COMFORT | |
| | QUIETNESS | |
| | TREAD LIFE | |

R, S AND T SPEED RATINGS



- Modern aggressive AT design.
- Multi width shoulder grooves improves wet grip.
- Stair-step tread grooves improves water evacuation and stone retention. High tensile strength bead wire.
- Jointless Bead Cover: spiral steel band wrapped around beads improves the structural rigidity of the tire resulting in a smooth ride.
- Extra Poly Ply for added strength.
- Rim protector

[illegible]

| Size Dimension | LI/SR IC/IV | I.R. | T.D. 32nds | UTQG |
|-------------------|----------------|------|---------------|---------|
| 235/75R15 | 109S | XL | 12 | 500 A B |
| 235/70R16 | 106S | SL | 13 | 500 A B |
| 245/75R16 | 111S | SL | 13 | 500 A B |
| 265/70R16 | 112T | SL | 13 | 500 A B |
| 265/75R16 | 116S | SL | 13 | 500 A B |
| 245/65R17 | 107T | SL | 13 | 500 A B |
| 255/70R17 | 112S | SL | 13 | 500 A B |
| 265/65R17 | 112S | SL | 13 | 500 A B |
| 265/70R17 | 115T | SL | 13 | 500 A B |
| 275/65R18 | 116T | SL | 13 | 500 A B |
| 275/55R20 | 117T | XL | 13 | 500 A B |
| 275/60R20 | 115T | SL | 13 | 500 A B |
| 31X10.50R15LT* | 109S | 6PR | 16 | — |
| LT235/75R15* | 100/107S | 8PR | 11 | — |
| LT225/75R16* | 115/112S | 10PR | 16 | — |
| LT235/85R16* | 120/116S | 10PR | 16 | — |
| LT245/75R16* | 120/116S | 10PR | 16 | — |
| LT265/75R16* | 123/120S | 10PR | 16 | — |
| LT285/75R16* | 126/123S | 10PR | 16 | — |
| LT235/80R17* | 120/117R | 10PR | 16 | — |
| LT245/70R17* | 119/116S | 10PR | 16 | — |
| LT245/75R17* | 121/118S | 10PR | 16 | — |
| LT265/70R17* | 121/118S | 10PR | 16 | — |
| LT285/70R17* | 121/118S | 10PR | 16 | — |
| LT265/70R18* | 124/121R | 10PR | 16 | — |
| LT275/65R18* | 123/120S | 10PR | 16 | — |
| LT275/70R18* | 125/122R | 10PR | 16 | — |
| LT275/65R20* | 126/123S | 10PR | 16 | — |

* 3PMS WINTER CERTIFIED

HALL

PREMIUM ALL-TERRAIN



BLACKHAWK
BLACKHAWKTIREUSA.COM

BLACKHAWK



RIDGECRAWLER R/T



RUGGED TERRAIN

Explore the RIDGECRAWLER RT (rugged terrain) tire: Your gateway to limitless adventure. Purposely engineered for enduring durability, it promises unmatched performance across a variety of landscapes. The optimized tread design provides stability, and 3PMS certification ensures dependable performance in any weather. Its robust appearance commands attention. Elevate your journey with the RIDGECRAWLER RT tire – your key to adventure without limits.

FEATURES

All-Weather Traction

- Experience consistent grip and performance in various weather conditions throughout the year, from hot summers to frigid winters with the 3PMS certified badge and 3D sipes on all RT tires.

Enhanced Tread Pattern

- Optimized wide footprint tread design provides excellent traction, enhancing control on any surface. Enjoy a smooth and comfortable ride on paved roads while seamlessly transitioning to an off-road terrain.

Aggressive Sidewall Biters

- Durable sidewall lugs provide extra traction and protection when needed the most, either preventing cuts and snags or for those that air down on the trails.

PREMIUM ALL-TERRAIN



RIDGECRAWLER R/T

RUGGED TERRAIN



| | Size Dimension | LI/SR IC/V | I.R. | T.D. 32nds | UTQG | Stud Size |
|----------|----------------|------------|------|------------|---------|-----------|
| 1600452K | 265/70R17 | 115T | SL | 16 | 600 A B | |
| 1600469K | 255/70R18 | 116T | XL | 16 | 600 A B | |
| 1600457K | 265/60R18 | 114S | XL | 16 | 600 A B | |
| 1600458K | 265/65R18 | 116T | XL | 16 | 600 A B | |
| 1600470K | 265/70R18 | 116S | SL | 16 | 600 A B | |
| 1600471K | 275/65R18 | 116T | XL | 16 | 600 A B | |
| 1600460K | 265/50R20 | 111T | XL | 16 | 600 A B | |
| 1600448K | 275/55R20 | 117T | XL | 16 | 600 A B | |
| 1600478K | 275/60R20 | 116T | XL | 16 | 600 A B | |
| 1600451K | 285/45R22 | 114Q | XL | 16 | 600 A B | |
| 1600453K | LT245/70R17 | 119/116Q | 10PR | 18 | | 15 |
| 1600454K | LT245/75R17 | 121/118Q | 10PR | 18 | | 15 |
| 1600455K | LT265/70R17 | 123/120Q | 10PR | 18 | | 15 |
| 1600456K | LT285/70R17 | 126/123Q | 10PR | 18 | | 15 |
| 1600472K | LT265/65R18 | 122/119Q | 10PR | 18 | | 15 |
| 1600473K | LT265/70R18 | 124/121Q | 10PR | 18 | | 15 |
| 1600474K | LT275/65R18 | 123/120Q | 10PR | 18 | | 15 |
| 1600475K | LT275/70R18 | 125/122Q | 10PR | 18 | | 15 |
| 1600479K | LT275/55R20 | 120/117Q | 10PR | 18 | | 15 |
| 1600480K | LT275/60R20 | 123/120Q | 10PR | 18 | | 15 |
| 1600481K | LT275/65R20 | 126/123Q | 10PR | 18 | | 15 |
| 1600461K | LT305/55R20 | 125/122Q | 12PR | 18 | | 15 |
| 1600466K | 33X12.50R17LT | 120Q | 10PR | 18 | | 15 |
| 1600467K | 35X12.50R17LT | 125Q | 10PR | 18 | | 15 |
| 1600468K | 37X12.50R17LT | 124Q | 8PR | 18 | | 15 |
| 1600459K | 33X12.50R18LT | 122Q | 12PR | 18 | | 15 |
| 1600476K | 35X12.50R18LT | 128Q | 12PR | 18 | | 15 |
| 1600477K | 37X12.50R18LT | 128Q | 10PR | 18 | | 15 |
| 1600462K | 33X12.50R20LT | 119Q | 12PR | 18 | | 15 |
| 1600463K | 35X12.50R20LT | 125Q | 12PR | 18 | | 15 |
| 1600482K | 35X13.50R20LT | 126Q | 12PR | 18 | | 15 |
| 1600483K | 37X12.50R20LT | 126Q | 10PR | 18 | | 15 |
| 1600464K | 33X12.50R22LT | 114Q | 12PR | 18 | | 15 |
| 1600465K | 35X12.50R22LT | 121Q | 12PR | 18 | | 15 |
| 1600484K | 37X12.50R22LT | 127Q | 12PR | 18 | | 15 |
| 1600485K | 37X13.50R22LT | 128Q | 12PR | 18 | | 15 |

* LT TIRES ARE PINNED FOR STUDS

BLACKHAWK

BLACKHAWKTIREUSA.COM

BLACKHAWK LIMITED WARRANTY

■ ALL BLACKHAWK TIRE WARRANTIES MUST BE SUBMITTED THROUGH THE POINT OF PURCHASE

PASSENGER & LIGHT TRUCK TIRES

This Limited Warranty / Adjustment Policy provides for tire replacement under specified conditions. This policy applies to Blackhawk tires used in normal highway service (commercial applications excluded) displaying warrantable conditions. Tires that become unserviceable or wear out because of neglect or mistreatment are excluded from Blackhawk warranty coverage.

THIS IS THE ONLY EXPRESSED WARRANTY MADE BY SAILUN TIRE AMERICAS NO EMPLOYEE, RETAILER, DEALER, OR REPRESENTATIVE HAS THE AUTHORITY TO MAKE ANY WARRANTY, REPRESENTATION, PROMISE OR AGREEMENT THAT IN ANY WAY VARIES THE TERMS OR CONDITIONS SET FORTH IN THIS LIMITED WARRANTY.

WARRANTY ELIGIBILITY

This warranty applies to every Blackhawk replacement passenger car or light truck tire bearing the Blackhawk brand name and complete Department of Transportation serial identification number while operated in normal highway use (commercial applications excluded) in the USA. These tires are covered by this warranty for the life of the original usable tread depth (the original tread depth down to the level of tread wear indicators molded at 2/32 inch) within 48 months from the date of purchase (proof of purchases required), or if proof of purchase is not available, the coverage will be 48 months from the date of manufacture. This warranty applies only to the original tire purchaser, and is not transferrable to any other party. This time period does not represent the expected service life for tires covered by this warranty.

WHAT IS NOT WARRANTED

Tires that have become unserviceable for the following reasons:

- Improper repairs or repairs that have failed. Improper repairs will void this Limited Warranty.
- Improper maintenance which can include: improper inflation or other maintenance abuses
- Improper application or operations such as speeding, improper tire size and / or specification.
- Improper mounting / dismounting procedures, tire/wheel assembly imbalance.
- Mechanical irregularities in the vehicle or wheel, such as bent wheel assemblies, misalignment, worn or faulty components.
- Weather checking/cracking or failures after four years (48 months) from the date of manufacture.
- Accident, corrosion, vandalism, fire or damages caused by contamination by petroleum or other chemical products.
- Tires used in commercial applications such as taxis, shuttle vehicles and couriers.
- Irregular tread wear, or worn-out (beyond 2/32nds remaining tread depth) is not covered under the Blackhawk Limited Warranty
- Road hazard injuries or damages caused by obstacles or debris, such as cuts, punctures (whether repairable or not), snags, bruises, tears, abrasions or impact breaks (whether repairable or not), etc.

ADDITIONAL EXCLUSIONS

- Materials added such as fillers, sealants, balancing substances and external tire treatments. If the added material is the cause of a failure the warranty will be deemed as void.
- Tires submitted for ride disturbance complaints after 25% (2/32") tread wear.
- Tires on vehicles registered or operated outside of the USA.
- Tires not purchased in the USA through the Sailun Tire Americas distribution channel.
- Tires purchased as used.
- Tires branded by Blackhawk to note special classification at time of purchase, such as "NA" (non-adjustable), or tires altered by notching or buffing.
- Tires used on vehicles in racing or special applications.
- Tires rendered unserviceable due to snow chains or studs.
- Flat spotting due to improper storage or caused by brake lock.
- Blackhawk products produced prior to January 1, 2013.

* Note: Consequential damage mentioned above may not apply to you based on individual State limitations.

WHAT IS WARRANTED

Tires that have become unserviceable for reasons other than stated above, within 48 months of the date of manufacturer or 60 months from the date of purchase (proof of purchase required) during its useable tread life, the tires will be replaced in accordance with this warranty.

LIMITED MILEAGE WARRANTY

| MODEL | DEFECTS/ MATERIALS | # MONTHS | TREAD LIFE PROTECTION | MILES/ MONTHS |
|-------------|-----------------------|----------|--------------------------|------------------|
| HH11 | YES | 60 | YES | 50K/60 |
| HH01 | YES | 60 | YES | 45K/60 |
| HU01 | YES | 60 | YES | 50K/60 |
| HU02 | YES | 60 | YES | 40K/60 |
| AGILITY SUV | YES | 60 | YES | 60K/60 |
| HT01 | YES | 60 | YES | 60K/60* |
| HA11 | YES | 60 | YES | 40K/60* |
| RT | YES | 60 | YES | 45K/60* |

* Does not apply to LT designated tires

Select Blackhawk tires are assigned a Limited Mileage Warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage protection, the consumer will be issued a replacement Blackhawk tire on a prorated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain limited mileage protection, all tires must be properly inflated, balanced, rotated and aligned as recommended by vehicle manufacturer. All claims must be accompanied by the original purchase invoice as well as invoices for all on time services provided. Under all circumstances, the cost of mounting, balancing and any other service charges including applicable taxes, disposal fees are required to be paid by the consumer.

APPROVED TIRE ROTATION INTERVALS AND PATTERNS

The purpose of regularly rotating tires is to prolong their useful life by achieving more uniform wear for all tires on a vehicle. Before rotating tires, always consult the owner's manual for rotation recommendations for specific vehicles. If no rotation period is specified, tires should be rotated, at minimum, every 6,000 miles or at any sign of uneven wear. The first rotation is the most important. Rotating the tires as recommended by the vehicle or tire manufacturer will help even out the amount of wear on each tire and extend the life of the entire set. Such tires include: "Temporary Use Spares", unidirectional tires and tires with asymmetric tread designs. Also, some vehicles may have different sized tires mounted on the front and rear axles, and these different sized tires have rotation restrictions. Check the owner's manual for the proper rotation recommendations for these special cases. When tires are rotated, the inflation pressures must be adjusted for the tires' new positions in accordance with the actual loads on that wheel position and the vehicle manufacturer's recommendations. Underinflated or overinflated tires may result in poor handling, uneven tread wear, and increased fuel consumption. If the tires show uneven wear, ask the service person to check for and correct any misalignment, imbalance, or other mechanical problem before rotation.

ADJUSTMENT POLICY

Passenger and Light Truck Tires When the original usable tread is worn 25% (2/32") or less, and a warrantable condition is found, the tire will be replaced with a comparable new Blackhawk tire free of charge. Replacement tires will be mounted and balanced at the vehicle owner's expense. Other service charges such as tire rotation, alignment or applicable taxes are payable by the customer. When a tire has worn past the above specified period for free replacement and a warrantable condition is found, the customer must pay for the cost of a new comparable Blackhawk passenger or light truck tire on a prorated basis. The dealer shall determine this cost by multiplying the percentage of usable tread worn by the current retail selling price (Suggested Retail Price x 80%) of that tire at the time of warranty replacement. The cost of mounting, balancing and any other service charges or applicable taxes are payable by the customer.

MANDATORY TIRE REGISTRATION

For tires purchased in the USA, please register your tires at: blackhawktireusa.com



NOTES

NOTES

[illegible]

BLACKHAWK

BLACKHAWKTIREUSA.COM

STA

SAILUN TIRE AMERICAS

Head office: 300 - 1 Kenview Blvd , Brampton, ON, L6T 5E6
Tel: (289) 499-3240 / Toll Free: 1-855-499-3240

V11.23U